



AIR TOOLS



PRODUCT CATALOGUE



AIR TOOLS

The Scorpion range of air tools represents the best in class performance. We have combined engineered quality with cost effective manufacturing to give the consumer a blend of power, innovation and longevity at a very reasonable price.



1/2"DR RATCHET WRENCH		
MODEL	DESCRIPTION	BARCODE
SX-330	<ul style="list-style-type: none"> RPM: 160 TORQUE: 60ft/lbs Reversible Front Exhaust 	9330514041772

SKU | SX-330: 5476387



1/2"DR IMPACT WRENCH KIT		
MODEL	DESCRIPTION	BARCODE
SX-220K	<ul style="list-style-type: none"> 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27mm Impact Sockets 5" Extension Bar Mini Oiler & Air Fitting 4mm Hex Wrench 	9330514041758
SX-220	<ul style="list-style-type: none"> Individual 1/2"Dr Impact Wrench 	9330514041741

SKU | SX-220K: 5891080
SX-220: 3387487



1/4"DR DIE GRINDER KIT		
MODEL	DESCRIPTION	BARCODE
SX-200K	<ul style="list-style-type: none"> 22,000rpm 5pc 1/4" Shank Grinding Stones 5pc 1/8" Shank Grinding Stones 1/8" Collet • Air fitting 	9330514041802
SX-200	<ul style="list-style-type: none"> Individual 1/4"Dr Collet Die Grinder 	9330514041796

SKU | SX-200K: 5476411
SX-200: 5891072



TRADE QUALITY 1/4"DR STRAIGHT DIE GRINDER		
MODEL	DESCRIPTION	BARCODE
SX-201	<ul style="list-style-type: none"> Speed: 22,000rpm 6.35mm Collet Air Con: 590L/min Max 413L/min Avg 	9330514002889

SKU | SX-201: 5891007



TRADE QUALITY 1/4"DR 90° ANGLED DIE GRINDER		
MODEL	DESCRIPTION	BARCODE
SX-202	<ul style="list-style-type: none"> Speed: 18,000rpm 6.35mm Collet Air Con: 460L/min Max 322L/min Avg 	9330514002896



TRADE QUALITY 1/4"DR EXTENDED STRAIGHT DIE GRINDER		
MODEL	DESCRIPTION	BARCODE
SX-203	<ul style="list-style-type: none"> Speed: 20,000rpm 6.35mm Collet Length: 282mm 	9330514006252



3/8" KEYLESS DRILL		
MODEL	DESCRIPTION	BARCODE
SX-525	<ul style="list-style-type: none"> Speed: 1,800rpm Air Con: 255L/min Avg 90° Angled Design Pressure: 90PSI 	9330514041789

SKU | SX-525: 5476395



TRADE QUALITY KEYLESS DRILL PISTOL		
MODEL	DESCRIPTION	BARCODE
SX-530	<ul style="list-style-type: none"> Speed: 2,000rpm Length: 190mm Air Con: 530L/min Max 371L/min Avg 	9330514002667



TRADE QUALITY 90° ANGLED DRILL		
MODEL	DESCRIPTION	BARCODE
SX-535	<ul style="list-style-type: none"> Speed: 1,500rpm Length: 208mm Air Con: 450L/min Max 315L/min Avg 	9330514002650



7PC AIR HAMMER KIT

MODEL	DESCRIPTION	BARCODE
SX-700K	<ul style="list-style-type: none"> 4500bpm Chisel Gun Set of 4 Interchangeable Chisels 	9330514041819



AIR SAW

MODEL	DESCRIPTION	BARCODE
SX-311	<ul style="list-style-type: none"> Free Speed: 10,000spm Air Con: 320L/min Max 224L/min Avg 2 Blades Included 	9330514041826



TRADE QUALITY

AIR SAW

MODEL	DESCRIPTION	BARCODE
SX-313	<ul style="list-style-type: none"> Free Speed: 10,000spm Air Con: 320L/min Max 224L/min Avg 2 Blades Included 	9330514002919


SKU | SX-313: 5890991



TRADE QUALITY

STRAIGHT NEEDLE SCALER

MODEL	DESCRIPTION	BARCODE
SXJ-268	<ul style="list-style-type: none"> Impacts/min: 4400 Air Con: 500L/min Max 250L/min Avg Overall Length: 410mm 	9330514005682



TRADE QUALITY

INDIVIDUAL STRAIGHT NEEDLES

MODEL	DESCRIPTION	BARCODE
P3MMN	<ul style="list-style-type: none"> 3mm Needle Diameter 	9330514006276



TRADE QUALITY

4.8mm (3/16") POP RIVETER

MODEL	DESCRIPTION	BARCODE
TAR-40	<ul style="list-style-type: none"> Operating Pressure: 90PSI Includes Nozzels: 1/8, 3/16, 5/32 & 3/32" Air Con: 1.4L/Stroke 	9330514001790



ENGINE CLEANING GUN

MODEL	DESCRIPTION	BARCODE
SX-10	<ul style="list-style-type: none"> Capacity: 1000ml Rated Pressure: 85PSI Max Pressure: 115PSI Nitto Style Fitting Included 	9330514041697

SKU | SX-10: 5476403



SANDBLASTER KIT

MODEL	DESCRIPTION	BARCODE
SX-199	<ul style="list-style-type: none"> Air Con: 100L/min Working Pressure: 6bar/90PSI Recommended Hose Dia.: 9mm 	9330514041840



CAULKING GUN

MODEL	DESCRIPTION	BARCODE
SX-740	<ul style="list-style-type: none"> Air Con: 170L/min Avg Weight: 0.90kg 	9330514041857



5PC AIR ACCESSORY KIT

MODEL	DESCRIPTION	BARCODE
SX-005K	<ul style="list-style-type: none"> Cleaning Gun Spray Gun 5m Recoil Air Hose Tyre Inflator Gun Blow Gun 	9330514041703

SKU | SX-005K: 3387685



6PC AIR ACCESSORY KIT

MODEL	DESCRIPTION	BARCODE
SX-006K	<ul style="list-style-type: none"> Air Blow Gun Tyre Inflator 5m Recoil Air Hose 3pc Air Blower Accessory Kit 	9330514041710

SKU | SX-006K: 3387396



17PC AIR ACCESSORY KIT

MODEL	DESCRIPTION	BARCODE
SX-014K	<ul style="list-style-type: none"> Tyre Inflator Air Duster with Interchangeable Tips 5m Recoil Air Hose Assorted Fittings 	9330514041727

SKU | SX-014K: 5476254



SPRAY GUNS

Scorpion Spray Guns can be used to apply various paints, lacquers, enamels and stains. The durable spray nozzles, alloy gun bodies, combined with the quality paint cups give a range of Spray Guns that are effective and efficient tools. The combination of nozzles and pressure means the consumer can always select a gun that will get the job done with a minimum of fuss.



TRADE QUALITY		
LOW PRESSURE SPRAY GUN		
MODEL	DESCRIPTION	BARCODE
SX-20	<ul style="list-style-type: none"> Pot Size: 1000ml Aluminium Pot Pressure: 10-40PSI Air Con: 127L/min Max 85L/min Avg Nozzle: 1.3mm 	9330514041611

SKU | SX-20: 5476429




TRADE QUALITY		
TOUCH UP SPRAY GUN		
MODEL	DESCRIPTION	BARCODE
SX-30	<ul style="list-style-type: none"> Pot Size: 250ml Aluminium Pot Pressure: 50PSI Air Con: 185L/min Max 77L/min Avg Nozzle: 1.5mm 	9330514041628

SKU | SX-30: 3387636



INDIVIDUAL POT AVAILABLE

TRADE QUALITY		
H.V.L.P GRAVITY FEED TOUCH UP SPRAY GUN		
MODEL	DESCRIPTION	BARCODE
SX-40	<ul style="list-style-type: none"> Pot Size: 125ml Plastic Pot Air Con: 141L/min Max 85L/min Avg Nozzle: 0.8mm Pressure: 50PSI 	9330514041635
SX-40P	<ul style="list-style-type: none"> 120CC Spray Gun Pot 	9330514022078



INDIVIDUAL POT AVAILABLE

TRADE QUALITY		
GRAVITY FEED DELUXE AIR SPRAY GUNS		
	<ul style="list-style-type: none"> Pot Size: 600ml Pressure: 50PSI Air Con: 145L/min Max 131L/min Avg 120CC Spray Gun Pot 	
MODEL	DESCRIPTION	BARCODE
SX50-1	Nozzle: 1.4mm	9330514041239
SX50-3	Nozzle: 2mm	9330514041246
SX-50P	Individual 600ml Spray Gun Pot	9330514003190

SKU | SX50-3: 5891098



TRADE QUALITY		
3PC H.V.L.P GRAVITY+SUCTION SPRAY GUN KIT		
MODEL	DESCRIPTION	BARCODE
SX50-3K	<ul style="list-style-type: none"> H.V.L.P Gravity Feed Spray Gun H.V.L.P Suction Feed Spray Gun In-Line Pressure Regulator 	9330514063132

SKU | SX50-3K: 5677042



TRADE QUALITY		
HIGH PRESSURE SPRAY GUN		
MODEL	DESCRIPTION	BARCODE
SX60-2	<ul style="list-style-type: none"> Cam-Lock Pot: 1000ml Pressure: 50PSI Air Con: 312L/min Max 280L/min Avg Nozzle: 1.8mm 	9330514041277

SKU | SX60-2: 3387511



TRADE QUALITY		
DELUXE HIGH PRESSURE SPRAY GUN		
MODEL	DESCRIPTION	BARCODE
SX-70	<ul style="list-style-type: none"> Pot Size: 2000ml Pressure: 50PSI Air Con: 330L/min Max 220L/min Avg Nozzle: 2mm 	9330514041642



TRADE QUALITY		
HIGH PRESSURE SPRAY GUNS		
	<ul style="list-style-type: none"> Includes Pressure Gauge & Adjusting Valve Air Con: 320L/min Max 295L/min Avg 	
MODEL	DESCRIPTION	BARCODE
SX-77	• 10 Litre Pot	9330514041659
SX-78	• 20 Litre Pot	9330514011164



TRADE QUALITY		
7PC AIR BRUSH KIT		
MODEL	DESCRIPTION	BARCODE
SX-05	<ul style="list-style-type: none"> 140mm Long 600mm Hose 2x 50ml Pots 0.12kg 	9330514041666



NAIL GUNS

The Scorpion range of nail guns uses the latest proven technologies, a strict adherence to quality control which in turn leads to enhanced durability. With the same commitment to quality we also produce a comprehensive precision fastener program for all our pneumatic fastening tools.



FINISHING NAILER		
MODEL	DESCRIPTION	BARCODE
S1650	<ul style="list-style-type: none"> Pressure: 75-100PSI Nails: 20-50mm 16 Gauge APPLICATIONS: <ul style="list-style-type: none"> Flooring and Walling Framing Decking and Siding Roof Truss Assembly 	9330514042878
SUITS THE FOLLOWING C-SERIES NAILS		
C25	16 Gauge 25mm - Pack of 1600	9330514005965
C32	16 Gauge 32mm - Pack of 800	9330514005972
C35	16 Gauge 35mm - Pack of 800	9330514005989
C38	16 Gauge 38mm - Pack of 800	9330514005996
C45	16 Gauge 45mm - Pack of 800	9330514006009
C50	16 Gauge 50mm - Pack of 800	9330514006016

SKU | S1650: 3387461



COMBINATION FINISHING NAILER/STAPLER		
MODEL	DESCRIPTION	BARCODE
S1850C	<ul style="list-style-type: none"> Pressure: 60-90PSI Staple Size Range: 16, 19, 22, 25, 32 & 40mm 18 Gauge APPLICATIONS: <ul style="list-style-type: none"> Decoration Trim Picture Frames Drawer Assembly 	9330514042854
SUITS THE FOLLOWING 90 SERIES STAPLES		
9016	16mm Staples - Pack of 1200	9330514006085
9019	19mm Staples - Pack of 800	9330514006092
9022	22mm Staples - Pack of 800	9330514006108
9025	25mm Staples - Pack of 800	9330514006115
9032	32mm Staples - Pack of 800	9330514006122
9040	40mm Staples - Pack of 800	9330514006139
SUITS THE FOLLOWING C1 SERIES NAILS		
C115	18 Gauge 15mm - Pack of 3600	9330514006023
C120	18 Gauge 20mm - Pack of 2400	9330514006030
C125	18 Gauge 25mm - Pack of 2400	9330514006047
C132	18 Gauge 32mm - Pack of 1200	9330514006054
C135	18 Gauge 35mm - Pack of 1200	9330514006061
C138	18 Gauge 38mm - Pack of 1200	9330514006078
C150	18 Gauge 50mm - Pack of 1200	9330514007006

SKU | S1850C: 3387529



16mm STAPLER		
MODEL	DESCRIPTION	BARCODE
S8016	<ul style="list-style-type: none"> Pressure: 60-90PSI Staple Size Range: 6-16mm APPLICATIONS: <ul style="list-style-type: none"> Furniture trims Upholstering Picture frames 	9330514042861
SUITS THE FOLLOWING 80 SERIES STAPLES		
8006	6mm Staples - Pack of 2000	9330514005903
8008	8mm Staples - Pack of 2000	9330514005910
8010	10mm Staples - Pack of 1000	9330514005927
8012	12mm Staples - Pack of 1000	9330514005934
8014	14mm Staples - Pack of 1000	9330514005941
8016	16mm Staples - Pack of 1000	9330514005958



FRAMING GUN			
MODEL	DESCRIPTION	APPLICATIONS	BARCODE
S9034	<ul style="list-style-type: none"> Pressure: 72-120PSI Nails: 50 & 75mm Capacity: 56-70pc 	<ul style="list-style-type: none"> Construction Framing Flooring and wall framing Roof truss and window assembly 	9330514042885
		<ul style="list-style-type: none"> Available with either sequential or constant fire trigger. Sawtooth safety that digs in for precision toenailing. Roof truss and window assembly 	
SUITS THE FOLLOWING 34° FRAMING NAILS			
50287	50mm Nails - Pack of 1000		9330514006146
75305	75mm Nails - Pack of 1000		9330514006153

SKU | S9034: 3387453



ANGLED FINISHING NAILER			
MODEL	DESCRIPTION	APPLICATIONS	BARCODE
SDA64	<ul style="list-style-type: none"> Pressure: 60-100PSI 50mm Fastener Capacity Capacity: 80pc 	<ul style="list-style-type: none"> Light Framing Furniture frame assembly Door and widow assembly 	9330514042892
		<ul style="list-style-type: none"> Removable non-marring rubber bumper protects the work surface Adjustable depth of drive Quick release nosepiece for fast clearing of jams 	
SUITS THE FOLLOWING 34° FRAMING NAILS			
DA38	38mm Nails - Pack of 1000		9330514007594
DA50	50mm Nails - Pack of 1000		9330514007600
DA64	64mm Nails - Pack of 1000		9330514007617

SKU | SDA64: 5476437



Scorpion offers a range of Tyre Inflators to meet the demands of any workshop or onsite requirements and will offer a lifetime of reliable service in robust working conditions.

Accurate, easy to read gauges, durable hoses and fittings, a varied selection of sturdy tyre chucks and the added inbuilt feature of bleed deflation deliver the consumer a cost effective, quality tyre inflator.

TYRE INFLATORS



TRADE QUALITY TYRE INFLATOR		
MODEL	DESCRIPTION	BARCODE
S-900	<ul style="list-style-type: none"> Dial Gauge High Quality & Hose Fittings 0-150PSI 0-1050KPA 	9330514000731

SKU | S-900: 5677026



TYRE INFLATOR - PISTOL		
MODEL	DESCRIPTION	BARCODE
S-850	<ul style="list-style-type: none"> 80mm Dial Gauge 400mm Hose 0-170PSI Nitto Style Fitting Included 	9330514044896

SKU | S-850: 5328430



TYRE INFLATOR - BARREL		
MODEL	DESCRIPTION	BARCODE
S-860	<ul style="list-style-type: none"> Long Shafted Tyre Chuck 0-120PSI Durable Construction 	9330514041673

SKU | S-860: 3404019



DIGITAL TYRE INFLATOR		
MODEL	DESCRIPTION	BARCODE
S-870	<ul style="list-style-type: none"> Backlit Display with Battery Status Automatic Shutdown Impact Protection Displays in Bar, kPa, PSI & Kg/cm² 	9330514066171

SKU | S-870: 5692124



TYRE INFLATOR - AUTO		
MODEL	DESCRIPTION	BARCODE
S-880	<ul style="list-style-type: none"> Auto Style Inflator Dial Type Gauge Displays Bar, kPa, PSI, Kg/cm² High Quality Construction 	9330514041680

SKU | S-880: 5891064



TYRE CHUCKS - STRAIGHT / ANGLE CLIP		
MODEL	DESCRIPTION	BARCODE
TC-9080	Straight Hold On Chuck	9330514022146
TC-9081	Angle Clip Chuck	9330514022153



6" TYRE CHUCK		
MODEL	DESCRIPTION	BARCODE
TC-9084	<ul style="list-style-type: none"> Length: 140mm Dual Head Chuck 	9330514001004



PREMIUM TYRE CHUCK		
MODEL	DESCRIPTION	BARCODE
TC-9085	<ul style="list-style-type: none"> Length: 290mm Rubber Grip Dual Head Chuck 	9330514001011

SKU | TC-9085: 5692132



FLEXIBLE HOLD ON TYRE CHUCK		
MODEL	DESCRIPTION	BARCODE
TC-9086	<ul style="list-style-type: none"> Hold-on Tyre Chuck with Hose Length: 230mm 	9330514022160

SKU | TC-9086: 5692140



Scorpion recognises the diverse activities of its customers and offers an extensive range of accessories and consumables to help configure or service their compressor systems or air powered tools.

As found in Scorpion's range of equipment and tools, the same standards of value and quality are matched in the range of accessories and consumables on offer.

ACCESSORIES



SWIVEL BASE 30m HOSE REEL		
MODEL	DESCRIPTION	BARCODE
HR-30	<ul style="list-style-type: none"> 1/4" Air Inlet & Outlet Bursting Pressure: 716PSI All Metal Construction Base & Reel 	9330514000748

SKU | HR-30: 5891031



15m RETRACTABLE REEL AIR HOSE		
MODEL	DESCRIPTION	BARCODE
RHR15	<ul style="list-style-type: none"> 1/4" BSP Fitting 15m 3/8" Dia. Air Hose Wall mountable 	9330514005446

SKU | RHR15: 3387370



RECOIL AIR HOSES		
<ul style="list-style-type: none"> 1/4" BSF 2x Male Threads Max Pressure: 165PSI 		
MODEL	DESCRIPTION	BARCODE
SX-806	6m x 10mm	9330514012604
SX-809	9m x 10mm	9330514012628
SX-815	15m x 10mm	9330514012611

SKU | SX-806: 5692157



FITTED AIR HOSES		
<ul style="list-style-type: none"> Rated to 300PSI Nitto Style 		
MODEL	DESCRIPTION	BARCODE
i66-15N	15m x 10mm	9330514005385
i66-30N	30m x 10mm	9330514013991

SKU | i66-15N: 3387495
i66-30N: 5328414



FITTED AIR HOSES		
<ul style="list-style-type: none"> Rated to 300PSI Nitto Style Anti-Kink Material Quad crimped fitting 		
MODEL	DESCRIPTION	BARCODE
SP66-15N	15m x 10mm	9330514064030
SP66-30N	30m x 10mm	9330514064047

SKU | SP66-15N: 5677059
SP66-30N: 5677067



AIR BLOW GUN		
MODEL	DESCRIPTION	BARCODE
S-700	<ul style="list-style-type: none"> Nozzle Length: 110mm Nitto Style Fitting Included 	9330514041734

SKU | S-700: 5476445



1/4" FILTER/REGULATOR - 20 SERIES		
MODEL	DESCRIPTION	BARCODE
SFR-202	20 Series Body - 1/4" - Clear Trap <ul style="list-style-type: none"> 25 Micron Filter 550L/min Rated Flow Set Pressure: 8-125PSI 	9330514022085

SKU | SFR-202: 5692165



1/4" FILTER/REGULATORS - 30 SERIES		
MODEL	DESCRIPTION	BARCODE
SFR-302	30 Series Body - 1/4" <ul style="list-style-type: none"> 2000L/min Rated Flow 	9330514022009



1/2" FILTER/REGULATOR - 40 SERIES		
MODEL	DESCRIPTION	BARCODE
SFR-404	40 Series Body - 1/2" <ul style="list-style-type: none"> 4000L/min Rated Flow 	9330514022108


AIR TOOL ACCESSORIES



DIE GRINDER COLLETS		
MODEL	DESCRIPTION	BARCODE
C127-4	1/4" Die Grinder Collet	9330514001240
C127-6	6mm Die Grinder Collet	9330514001257
C127-8	1/8" Die Grinder Collet	9330514001264



RETAINER SPRING		
MODEL	DESCRIPTION	BARCODE
CHI-SP1	<ul style="list-style-type: none"> Spring Retainer Chisel Durable Construction 	9330514001202



INDIVIDUAL CHISELS		
MODEL	DESCRIPTION	BARCODE
D06	<ul style="list-style-type: none"> Length: 175mm 50mm(w) Flat Long Chisel 	9330514001219
D23	<ul style="list-style-type: none"> Length: 175mm 50mm(w) Flat Long Chisel 	9330514001226
D59	<ul style="list-style-type: none"> Length: 290mm Panel Cutter Chisel 	9330514001233
D60	<ul style="list-style-type: none"> Length: 170mm Tip Length: 20mm 	9330514003251



KEYLESS DRILL CHUCKS		
MODEL	DESCRIPTION	BARCODE
DLC-10	3/8" x 3/8" x 24tpi	9330514001189
DLC-17	1/2" x 1/2" x 20tpi	9330514001196



KEYED DRILL CHUCKS		
MODEL	DESCRIPTION	BARCODE
DLC-9	3/8" x 3/8" x 24tpi	9330514002711
DLC-13	1/2" x 3/8" x 24tpi	9330514002728
DLC-15	1/2" x 3/8" x 20tpi	9330514002735



CHUCK KEYS		
MODEL	DESCRIPTION	BARCODE
DCK-2	3/8" Chuck Key	9330514002742
DCK-3	1/2" Chuck Key	9330514004678



SAW BLADES - PACKS OF 4		
MODEL	DESCRIPTION	BARCODE
SAW-B100	32 Teeth (Suits Steel)	9330514001271
SAW-C100	24 Teeth (Suits Aluminium)	9330514001288
SAW-W100	14 Teeth (Suits Wood/Urethane)	9330514003268



AIR TOOL LUBRICANT		
MODEL	DESCRIPTION	BARCODE
SPAO500	500ml Bottle (Carton of 12)	9330514066324
SPAO1000	1L Bottle (Carton of 6)	9330514066386
SPAO4000	4L Bottle	9330514066348

SKU | SPAO500: 5692173



1/4" SWIVEL AIR CONNECTOR		
MODEL	DESCRIPTION	BARCODE
SP910A	<ul style="list-style-type: none"> Max pressure: 170Psi Working Pressure: 90Psi 1/4" BSP Air Flow: 11cfm (310 Ltrs/min) Composite plastic 	9330514064351

COMPRESSOR ACCESSORIES

FOR USE WITH SINGLE PHASE COMPRESSORS



COMPRESSOR OIL		
MODEL	DESCRIPTION	BARCODE
SPCO1000	1L Bottle (Carton of 6)	9330514066355
SPCO4000	4L Bottle	9330514066379

SKU | SPCO4000: 5692181



4 PORT PRESSURE SWITCH		
MODEL	DESCRIPTION	BARCODE
SCA5001	<ul style="list-style-type: none"> Heavy duty contacts Integrated unloader valve 4 x 1/4" NPT ports Operating range up to 130PSI Adjustable cut-in & cut-out range 	9330514007228



4 PORT COMPRESSOR REGULATOR		
MODEL	DESCRIPTION	BARCODE
SCA1002	<ul style="list-style-type: none"> 1/4" BSP Thread Suits 60 Gauge (S1025) 	9330514046135



BOTTOM MOUNT GAUGE		
MODEL	DESCRIPTION	BARCODE
SCA20S	<ul style="list-style-type: none"> • 50mm dia. • 1/4" Thread • High Quality Brass Fitting 	9330514007204



40mm REAR MOUNT GAUGE		
MODEL	DESCRIPTION	BARCODE
SCA10R	<ul style="list-style-type: none"> • 40mm diameter gauge • 1/8" Thread • Typically used as a pressure switch gauge 	9330514049198




40mm REAR MOUNT GAUGE		
MODEL	DESCRIPTION	BARCODE
SCA20R	<ul style="list-style-type: none"> • 50mm diameter gauge • 1/4" Thread • Typically used as an air regulator gauge 	9330514007211



NON RETURN VALVES		
MODEL	DESCRIPTION	BARCODE
SCA1004	• 1/2" x 1/4" BSP	9330514007150
SCA1005	• 1/2" x 16.5mm BSP	9330514049181



SAFETY VALVES		
MODEL	DESCRIPTION	BARCODE
SCA2002-110	• 1/4" 10 BAR	9330514007136
SCA2002-210	• 1/2" 10 BAR	9330514007143
SCA2002-8	• 1/4" 8 BAR	9330514007129



1/4" AIR VALVE WITH TAIL		
MODEL	DESCRIPTION	BARCODE
SCA3002	• 1/4" Air Valve with Tail	9330514007167

SKU | SPC03002: 5692199

BRASS FITTINGS

RYCO STYLE FITTINGS



1/4" MALE COUPLER - RYCO STYLE		
MODEL	DESCRIPTION	BARCODE
A104-11C	• 1/4" Male Thread Coupler	9330514000311

SKU | A104-11C: 3387578




3/8" HOSE TAIL COUPLER & HOSE CLAMP - RYCO STYLE		
MODEL	DESCRIPTION	BARCODE
A104-12C	• 3/8" Hose Tail Coupler	9330514000328

SKU | A104-12C: 3387586



1/4" FEMALE COUPLER - RYCO STYLE		
MODEL	DESCRIPTION	BARCODE
A104-1C	• 1/4" Female Thread Coupler	9330514000304

SKU | A104-1C: 3387560



1/4" FEMALE BARB - RYCO STYLE		
MODEL	DESCRIPTION	BARCODE
A104-2C	<ul style="list-style-type: none"> • 2pcs • 1/4" Female Barb 	9330514074626

SKU | A104-2C: 3387594



1/4" MALE BARB - RYCO STYLE		
MODEL	DESCRIPTION	BARCODE
A104-3C	<ul style="list-style-type: none"> • 2pcs • 1/4" Male Thread Barb 	9330514074633

SKU | A104-3C: 3387602



3/8" HOSE TAIL COUPLER & HOSE CLAMP - RYCO STYLE		
MODEL	DESCRIPTION	BARCODE
A104-4C	<ul style="list-style-type: none"> • 2pcs • 3/8" Hose Tail Barb 	9330514074640

SKU | A104-4C: 3387610

BRASS FITTINGS

JAMEC STYLE FITTINGS




3/8" HOSE TAIL COUPLER & HOSE CLAMP - JAMEC STYLE		
MODEL	DESCRIPTION	BARCODE
A105-11C	• 1/4" Male Thread Coupler	9330514000373

SKU | A105-11C 5476361



3/8" HOSE TAIL COUPLER - JAMEC STYLE		
MODEL	DESCRIPTION	BARCODE
A105-12C	• 3/8" Hose Tail Coupler	9330514000380

SKU | A105-12C 5476379



1/4" FEMALE THREAD COUPLER - JAMEC STYLE		
MODEL	DESCRIPTION	BARCODE
A105-1C	• 1/4" Female Thread Coupler	9330514000366

SKU | A105-1C 5476353



1/4" FEMALE THREAD BARB - JAMEC STYLE		
MODEL	DESCRIPTION	BARCODE
A105-2C	• 2pcs • 1/4" Female Thread Barb	9330514074800

SKU | A105-2C 5476270



1/4" MALE THREAD BARB - JAMEC STYLE		
MODEL	DESCRIPTION	BARCODE
A105-3C	• 2pcs • 1/4" Male Thread Barb	9330514074817

SKU | A105-3C 5476288



3/8" HOSE TAIL BARB - JAMEC STYLE		
MODEL	DESCRIPTION	BARCODE
A105-4C	• 2pcs • Hose Tail Barb	9330514074824

SKU | A105-4C 5476296



BRASS 1/4" F x 1/4" F HEX SOCKET		
MODEL	DESCRIPTION	BARCODE
SCA52	• 1/4" F x 1/4" F Hex Socket	9330514013717

SKU | SCA52 5328349



BRASS REDUCING BUSHES		
MODEL	DESCRIPTION	BARCODE
SCA63	• 1/4" F x 3/8" M Reducing Bush	9330514013748
SCA63A	• 1/4" F x 1/2" M Reducing Bush	9330514013755

SKU | SCA63 5476312
SCA63A 5476260



BRASS 1/4" M x 1/4" M HEX NIPPLE		
MODEL	DESCRIPTION	BARCODE
SCA12	• 1/4" M x 1/4" M Nipple	9330514013724

SKU | SCA12 5476262



BRASS HOSE TAILS		
MODEL	DESCRIPTION	BARCODE
SCA19	• 1/4" M x 3/8" Hose Tail	9330514013762
SCA19A	• 1/4" M x 1/2" Hose Tail	9330514013779

SKU | SCA19 5476338
SCA19A 5476346



BRASS 1/4" FEMALE TEE		
MODEL	DESCRIPTION	BARCODE
SCA102-7	• Brass 1/4" Female Tee	9330514013731


SKU | SCA102-7 5476304



MINI LUBRICATOR		
MODEL	DESCRIPTION	BARCODE
MOL-21	• 1/4" Inline	9330514001301



1/4" DRAIN COCK		
MODEL	DESCRIPTION	BARCODE
SCA4002	• 1/4" Drain Cock	9330514007174



WINGED DRAIN COCKS		
MODEL	DESCRIPTION	BARCODE
SCA4002A-2	• 1/2" Winged Drain Cock	9330514007198
SCA4002A-4	• 1/4" Winged Drain Cock	9330514007181



1/2" RINGED DRAIN COCK		
MODEL	DESCRIPTION	BARCODE
SCA4002A-2R	• 1/2" Thread Ringed Drain Cock	9330514020005

CHROME FITTINGS

NITTO STYLE FITTINGS



MALE PLUGS - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
PM20C	1/4" Male Plug - 2pcs	9330514074855
PM30C	3/8" Male Plug - 2pcs	9330514000045
PM40C	1/2" Male Plug	9330514000052

SKU | PM20C 5328380



FEMALE PLUGS - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
PF20C	1/4" Female Plug - 2pcs	9330514074831
PF30C	3/8" Female Plug - 2pcs	9330514000076
PF40C	1/2" Female Plug	9330514000083

SKU | PF20C 5328364



HOSE BARBS - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
PH20C	1/4" Hose Barb - 2pcs	9330514074848
PH30C	3/8" Hose Barb - 2pcs	9330514000106
PH40C	1/2" Hose Barb	9330514000113

SKU | PH30C 5328372



HOSE COUPLERS - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
SH20C	1/4" Hose Coupler	9330514000182
SH30C	3/8" Hose Coupler	9330514000199
SH40C	1/2" Hose Coupler	9330514000205

SKU | SH30C 5328356



MALE THREAD COUPLERS - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
SM20C	1/4" Male Thread Coupler	9330514000120
SM30C	3/8" Male Thread Coupler	9330514000137
SM40C	1/2" Male Thread Coupler	9330514000144

SKU | SM20C 5328358



FEMALE THREAD COUPLERS - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
SF20C	1/4" Female Thread Coupler	9330514000151
SF30C	3/8" Female Thread Coupler	9330514000168
SF40C	1/2" Female Thread Coupler	9330514000175

SKU | SF20C 5328406



SPC 1/4" AIR FITTING KIT - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
AF20K	Includes: • 1x 1/4" Female Plug • 2x 1/4" Male Plug • 2x 1/4" Female Thread Coupler	9330514043226

SKU | AF20K 5476452



TWO WAY COUPLING - NITTO STYLE		
MODEL	DESCRIPTION	BARCODE
SMVC	• 1/4" Female Thread • Hi Flow Series • One-Touch • Quick Connect Style Coupler	9330514071977

SCORPION®



ADDRESS:

2/148 Industrial Rd
OAK FLATS NSW 2529



CONTACT INFO:

Ph: 02 4232 2181
E-mail: cs@australianonlinecarparts.com.au

www.AustralianOnlineCarParts.com.au



CAT-SC19



Shop Now. Pay Later. Interest Free!

SCORPION 12 MONTH WARRANTY

Scorpion tools are covered against manufacturing defects or faulty materials.

This warranty does not cover overloading, abuse, misuse and/or normal wear and tear. All Scorpion tools are designed and manufactured for specific purposes and if not used for that intended purpose they will not be covered by the warranty. This warranty is in addition to what is covered in the Trade Practices Act (Aust), all state and territory laws and regulations and the Fair Trading Act (NZ). Tools that fail due to manufacturing defects or faults may be returned to a Scorpion authorized dealer for repair or replacement at the sole discretion of Austech Industries Pty Ltd.

NOTE: Warranty cover only applies if valid proof of purchase is presented when warranty is requested. The warranty period starts from the original date of purchase. Units which fail to perform in accordance with specifications due to non-warrantable causes will be subject to freight, repair and or quote charges.