

TOOL CATALOGUE

SUMMER SCORCHER ISSUE

1 OCT - 15 JANUARY 2023

IPER QUIET 2500W ERTER GENERATOR

POWERFUL, COMPACT AND WITH A SUPER QUIET RUNNING NOISE, THE RANGE OF SP INVERTER GENERATORS ARE IDEAL FOR ALL CAMPING AND LEISURE ACTIVITIES.

4 LITRE TANK

2X 15A OUTLETS

SINE WAVE

- Torini 4 stroke engine
 1 in 1 multi-function control
 Engine smart control (ESC)
- Compact, lightweight and high quality

 32 bit inverter core

 Low running noise/: 51-59dB

 12 Volt outlet

 Parallel connection capable

 Robust construction

- Easy oil-change compartment

SPGi3000

Equivalent to the average sound at home and having a conversation

MEETS STRICT ENVIRONMENTAL PROTECTION AGENCY (EPA), PROPOSED AUSTRALIAN EMISSIONS STANDARDS & STRICT CALIFORNIAN POLLUTION LAWS AND ENVIRONMENTAL PROTECTION STANDARDS.





NORMALLY



35PC 1/4"DR SOCKET SET

- Metric, Hex, Torx & Spline Sockets
- 90T Sealed Head Ratchet Flex Handle
- Extension Bars

Universal Joint

39PC 3/8"DR SOCKET SET

- Metric, Hex, Torx & Spline Sockets
- 90T Sealed Head Ratchet
- Flex Handle
- Extension Bars Universal Joint

SP20216

go, in the workshop, at home, in the gym or out camping.

WORK LIGHT.

POWER BANK.

High powered magnetic worklight
 Charge your smart devices using the built-in 2.0 USB port

Connects to your smart device via long range bluetooth 5.0, allowing you to play all your jams on the

BLUETOOTH SPEAKER.

DUAL LINK

SYNC 2 DEVICES FOR SURROUND SOUND

NORMALLY SP81400



SCAN ME



MULTI-FUNCTION UV INSPECTION LED MAG BASE WORK LIGHT/TORCH

PROFESSIONAL GRADE UV LIGHT IDEAL FOR SCRATCH INSPECTION AND LEAK DETECTION

• 4 brightness settings: low/medium/high & UV • 90° Rotatable head – Swivels into L-shape















APPRENTICE CASH



238PC CUSTOM SERIES ROLLER CAB TOOL KIT WITH SIDE CABINET METRIC/SAE **INCLUDES**

§ 2595

254PC



OUAD DRIVE

THIS KIT IS ALSO AVAILABLE WITH ADDITIONAL EVA FOAM TRAYS





CUSTOM SERIES TOOL KIT METRIC/SAE

668(W) x 316(D) x 461(H)

INCLUDES Jumbo 3/4"Dr Sockets up to 55mm & 1-7/8"

866

TRADIE CASH

SP50218

SP50097

METRIC/SAE

668(W) x 445(D) x 465(H)



INCLUDES

QUAD DRIVE

212PC

TECH SERIES TOOL KIT METRIC ONLY

730(W) x 480(D) x 507(H)

SP50033D

CUSTOM SERIES TOOL KIT METRIC/SAE 668(W) x 445(D) x 465(H) INCLUDES QUAD DRIVE SPANNERS 2 OPTIONS §1695 \$180



212PC

APPRENTICE SP50123X

888 SERIES STARTER KIT METRIC ONLY 510(W) x 200(D) x 210(H)

T850090

OWN QUALITY TOOLS AND EQUIPMENT **TODAY AND PAY THEM OFF WEEKLY!**

OFF ROAD SERIES FIELD

SERVICE TOOL KIT

METRIC/SAE



SP EASY CREDIT CAN HELP YOU FINANCE YOUR SP TOOLS PURCHASE OVER THE COMBINED VALUE OF \$1000 AND REPAYMENTS START FROM AS LITTLE AS \$8 PER WEEK*.

APPLY NOW AT SPTOOLS.COM

PAYMENTS START FROM ONLY \$8 PER WEEEK

411PC

CUSTOM SERIES KITS



CUSTOM SERIES TOOL KIT METRIC/SAE

\$**5495** STANDARD

629PC

STANDARD

SP50104

SP50104X

SP50165



SP50165X



206PC



CUSTOM SERIES TOOL KIT METRIC/SAE 680(W) x 460(D) x 1277(H)

APPRENTICE CASH **\$170**

1699

SP50113









FOAMED

SP50176X

SP50175X Solid Black

Black/Blue

Black/Green

STANDARD SP50175

SP50176

Solid Black

Black/Blue

Black/Green

STORAGE

STAINLESS STEEL WORK TOP **SUMO SERIES ROLLER CABINET** WITH POWER TOOL CUPBOARD AND BUILT-IN POWER BOARD 12 DRAWER Built-in power board with 4 individually switched power outlets and 4 USB 1434w x 560d x 1074h (mm) 1090mm • Stainless steel work top

- · Heavy duty 28 ball bearing drawer slides
- Internal locking system
- SP Cliklok drawer locking system ensures drawers stay closed and secure
- Heavy duty wheels
- Double powder coating resists scratching

FULL LENGTH DEEP

TOP DRAWER

SP40095

ports, adjustable shelf and deep drawer





8 DRAWER TOOL BOX 668w x 445d x 465h (mm)

- Internal locking system
- 28 ball bearing drawer slides
- Robust wall construction • Double powder coating
- Full drawer extension capabilities

SP40103

DRAWER ROLL CAB

- Internal locking system
- Heavy duty 28 ball bearing drawer slides
- Robust wall construction • Double powder coating
- Full drawer extension
- capabilities
- Heavy duty castors 2x lockable swivel

SP40104





7 DRAWER TOOL BOX

668w x 316d x 461h (mm)

- Internal locking system
 Heavy duty 28 ball bearing
- drawer slides
- Robust wall construction
- Double powder coating
 Full drawer extension
- capabilities



SIDE TOOL CABINETS

EXPANDING YOUR TOOL STORAGE MADE SIMPLE!



As the need for more storage space arises, side cabinets are a great option for adding more room to your SP Tool Kit. SP's Range of side cabinets are designed to easily slide on to and hang off the side of both Custom and Sumo Series Roller cabinets. No screwing anything together.

7 DRAWER

SP40131

1 COMPARTMENT ADJUSTABLE SHELF

HFSP40132

SUITS CUSTOM & SUMO SERIES ROLLER CABINETS

*EXCLUDES USA SUMO SERIES















SP30905



SPRAY CAN HOLDER

• Best suited for aerosol cans: spray paint, WD-40, cleaners, lubricant sprays etc





HOLDER & TRAY

 Side holes for holding screwdrivers • Tray section ideal for holding parts, screws, bolts, nuts etc








PAPER TOWEL **HOLDER**

 Ideal for having paper towel handv

SCREWDRIVER

SP30907





TOOLS YOU WANT

REDEEMING IS QUICK AND EASY. VISIT OUR TRADIE CASH PAGE AT SPTOOLS.COM FOR MORE INFORMATION







SPR-60

SPR-50

HEAVY DUTY SHOP SEAT

• Easy access storage tray • High density foam seat



WORKSHOP SEAT 3 DRAWERS T8R58

• 370 x 400 x 367mm



- Vinyl with soft inner to
- protect car paintwork
 Contains hidden sleeved
- magnets to hold cover
- firmly in position
 Resistant to oil, grease

SPR-22

CORDLESS LIGHTING

WIRELESS CHARGE SMD LED WORK LIGHT & TORCH TWIN PACK

- SMD LED Worklight: 500 Lumen • LED Torch: 150 Lumen
- Adjustable Dimmer Worklight: 500 to 75 Lumens
- Flexible Magnetic Base 180° Fold Out Hook

COMPACT WORKLIGHT/TORCH

- SMD LED Worklight: 300 Lumen
- LED Torch: 100 Lumen
- Adjustable Dimmer Worklight: 300 to 30 Lumens
- Flexible Magnetic Base
 180° Fold Out Hook

DUAL ZONE CHARGING PAD

Dual charging zones
 Magnetic zones holds lights firmly in place while charging

TORCH/WORK LIGHT **SMD LED MAGBASE**

CHARGING PAD ALSO WIRELESSLY CHARGES ALL QI ENABLED DEVICES













WORKLIGHT & TORCH

WIRELESS CHARGE

- Adjustable Dimmer Worklight
- Flexible Magnetic Base
 180° Fold Out Hook
- Magnetic zone holds light firmly in place









TORCH/WORK LIGHT **LED PEN MAGBASE**

- · Compact lightweight design
- Strong magnetic clip
- Rechargeable Lithium Ion
 Overall Length: 80mm
- Width: 20mm









Super bright SMD LED

SP81456













COMPACT SWIVEL

- 3 Settings Strong Magnetic Base Rechargeable
- 360° Swivel Joint







12V 3/8"DR MINI RATCHET WRENCH

LONG NECK

Access extremely difficult to reach areas

CORDLESS

TOROUE

SPEED 2200RPM

-

SP81114

- 12v Mini 3/8"Dr Impact Wrench
 10pc Metric Impact Socket Rail Set
 2x 2.0Ah Max Lithium Battery Packs

INCLUDES 10PC METRIC SOCKET RA & 2X 2.0AH BATTERIES + CHARGER

• Compact design with long 185mm neck provides access to previously difficult to reach areas
• Reversible

250RPM

Built-in LED light illuminates work area

TORQUE SPEED

WATCH THE **DEMO VIDEO**

54Nm



SCAN ME

INCLUDES 1X 2.0AH BATTERY & CHARGER

12V CAULKING GUN

- Barrel size: 600ml
 Speed control function
 Patented dripless mechanism
 Patented rapid plunger release
- Cut-off switch when plunger
- reaches the end

 Works with all standard size



SP81616

SKIN ONLY \$245
SP81363BU

12V 10MM DRILL DRIVER



7 SP81213

SKIN ONLY \$155 SP81213BU

12V 1/4" HEX MINI IMPACT DRIVER

TORQUE 90Nm

SPEED

2200RPM

- Variable speed switch with brake
- Ergonomic soft grip handle
- Includes 1x 2.0Ah battery & charger

SP81141

\$177 \$P81141BU SKIN ONLY

16V BELT SANDER

SPEED 6500RPM

- Capacity (belt sizes):
- 460 x 10mm & 330 x 10mm

 8 position versatile adjustable arm
- for ease of use in tight confined spaces

 Quick change lock and release.
- Switch belts quickly
 Includes 2x 3.0Ah
- battery &

charger



SP81350

SKIN ONLY \$339 SP81350BU

16V GASKET SANDER

SPEED

- 8000RPM
- Pad size: 6.35mm (1/4") Powerful motor
- Includes 2x 3.0Ah battery &

charger

SP81352

SKIN ONLY

16V 3/8" BRUSHLESS IMPACT WRENCH KIT

392Nm

No-Load Speed: 2300RPM

HOT

DEA

SP81120

"V" Type Hammer. Low Vibration

Patented

16V RECIPROCATING SAW

- No-Load speed: 0-3000spm
- Stroke length: 14mm
- Quick-release blade holder no tools required
- Adjustable blade depth support
- Variable speed trigger

SP81354

 Includes 1x 3.0Ah battery & charger



PLUS 10PC 3/8"DR 6PT IMPACT SOCKET RAIL SET

INCLUDES 2X 3.0AH BATTERIES & CHARGER

SKIN ONLY ^{\$}320 SP81120BU



BRUSHLESS TECHNOLOGY

SP Maxdrive Brushless motors provide more runtime and superior power when compared to other leading brands. Using the highest quality components and industry best manufacturing process, we deliver the power that you need....

18V 1/2" IMPACT WRENCH **BRUSHLESS**

BOLT BUSTING TORQUE 970Nm

Variable speed triggerPowerful brushless motor

Ergonomic soft grip handle
Weight: 1.67kg (With Battery)

Includes 2x 5.0Ah **Batteries & Charger** 18V 3/4"DR IMPACT WRENCH

SP81147BU

BOLT BUSTING TORQUE 1788Nm Batteries & Charger

INCLUDES 2X 5.0AH BATTERY PACKS & CHARGER

Includes 2x 5.0Ah



18V 1/2"DR IMPACT WRENCH PLUS BONUS BOLT BUSTING TORQUE 1490Nm

SP81130

нот DEAL

11PC 1/2"DR METRIC DEEP IMPACT SOCKET RAIL SET - VALUED AT \$125

SP81134

18V BRUSHLESS COMBO KIT

KIT INCLUDES

18v 1/2"Dr impact wrench

• Torque: 970Nm

18v 1/4" HEX IMPACT DRIVER

• 2 Torque Settings

18v Cut Off/ Angle

GRINDER
• Brushless

BrushlessTorque: 7000rpm

INCLUDES 2X 5.0AH BATTERY PACKS & CHARGER



18V INDUSTRIAL RIVETER

PULLING FORCE 2000Kg

HIGH CAPACITY ± 1300 rivets on one charge

Sets ± 1300 rivets on one charge (650 stainless 6.4mm rivets off 1x 5.0ah battery charge)

• Powerful brushless motor

 Suits all materials - aluminium. steel & stainless steel

• Includes interchangeable nozzles

Attached collection bottle

SETS RIVET SIZES













SP81376

Includes 2x 5.0Ah Batteries & Charger

SKIN ONLY

SP81130BU

5.Cali

ALSO AVAILABLE IN SKIN ONLY ^{\$}864 SP81376BU



SIMPLY PURCHASE A 'TRADIE CASH' MARKED PRODUCT AND RECEIVE AN ONLINE VOUCHER TO SPEND AT WWW.SPTOOLS.COM Visit sptools.com for full terms & conditions.

SOCKETS



ASSORTMENT OF 1/4", 3/8" & 1/2"DR BARS

• 1/4"Dr - 50, 100 & 250mm

- 3/8"Dr 50, 100 & 250mm 1/2"Dr 50, 100 & 250mm

HOT SP20988 DEAL



METRIC & SAE

- 6 POINT 6PC 13, 14, 16, 18, 19mm & 13/16"
- 12 POINT 2PC 12 & 14mm





SP20290







23PC 1/4"DR METRIC/SAE SOCKET SET

- SAE: 3/16 to 1/2"

• 45T Ratchet

• Extension Bar

SP20100



32PC 3/8"DR METRIC/SAE SOCKET SETS

- METRIC: 6 to 22mm
- SAE: 1/4 to 7/8'
- Flex Handle Spark Plug Sockets

SP20200



41PC 1/2"DR METRIC/SAE SOCKET SET

- METRIC 10 to 26, 27, 30 & 32mm SAE: 3/8 to 1-1/4" Spark Plug Sockets
- 45T Ratchet Flex Handle
- Extension Bars Universal Joint

SP20300





1/4"DR SOCKET RAIL SET

\$48 SP20540

11/32, 3/8, 7/16 & 1/2"

SP20131

12 PT



AVAILABLE IN METRIC & SAE

1/4"DR DEEP SOCKET RAIL SETS

• 4 to 13mm SP20140



1/4" INHEX SOCKET RAIL SET

• METRIC - 3, 4, 5 & 6mm • SAE - 1/8, 5/32, 3/16, 7/32 & 1/4'

1/4" & 3/8"DR INHEX SOCKET RAIL SET

• 3/8"Dr - 6, 7, 8, 9 & 10mm

SP20545



1/4" & 3/8"DR INHEX SOCKET RAIL SET

10pc METRIC • 1/4"Dr - 1/8, 5/32, 3/16, 7/32 & 1/4" • 3/8"Dr - 3/16, 7/32, 1/4, 5/16 & 3/8"

SP20546



3/8" INHEX SOCKET RAIL SET

• SAE - 3/16, 7/32, 1/4, 5/16 & 3/8"

\$95 SP20541



3/8"DR SPLINE SOCKET RAIL SET - SHORT

7pc SPLINE (48mm Long)
• M4, M5, M6, M7, M8, M9 & M10

SPLINE

SP20543





3/8"DR E-TORX SOCKET RAIL SETS

E-TORX E5, E6, E7, E8, E10, E11, E12, E14, E16, E18 & E20

PRICE



3/8"DR E-TORX SOCKET RAIL SET E6, E7, E8, E10, E11, E12,

SP20551



1/2"DR SOCKET RAIL SET

• 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"

SP20333



3PC WOBBLE EXTENSION BAR SETS MODEL SIZE

AVAILABLE IN 3/8" & 1/2" Access hard to reach nuts and bolts in engine bays

SP22330 3/8"DI SP23330 1/2"Dr \$103



26PC 888 SERIES 3/4"DR SOCKET SET

METRIC & SAE

NORMALLY

- METRIC: 22, 24, 27, 30, 32, 36, 38,
- 41, 46 & 50mm SAE: 7/8, 15/16, 1, 1-1/8, 1-3/16, 1-5/16, 1-3/8, 1-7/16, 1-5/8, 1-3/4. 1-7/8 & 2"





41PC 1/4"DR METRIC/SAE SOCKET SET

- METRIC: 4 to 13mm
- SAE: 7/32 to 1/2"
- Bits set 18pc
- Ratchet • Flex Handle
- Extension Bar





50PC 3/8"DR METRIC/SAE SOCKET SET

- METRIC: 8 to 22mm
- SAE: 1/4 to 7/8"
- Bits set 18pc
- Ratchet • Flex Handle
- Extension Bar





• 1/4"Dr: 4 to 10mm • 1/4"Dr: 3/16 to 3/8" • 45T Ratchet • Wobble Extension Bars

• 3/8"Dr: 10 to 19mm • 3/8"Dr: 3/8 to 3/4" • 45T Ratchet • Flex Handle • Spark Plug Sockets • Wobble Extension Bars • Universal Joint

Adaptor 3/8Fx1/4M

SP20601

> IMPACT SOCKETS

1"DR IMPACT SOCKET SETS

9PC METRIC

27, 30, 32, 34, 36, 38, 41, 46 & 50mm

SP20510

9PC SAE

• 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2"

SP20515



3/4"DR IMPACT SOCKET SETS

PT

8PC METRIC

• 24, 27, 30, 32, 34, 36, 41 & 46mm



• 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

SP20415

10pc METRIC

17, 18 & 19mm



12PC 3/8"DR IMPACT

TWIST SOCKET SET

• METRIC: 8, 10 to 19mm + Pin punch Twisted teeth dig in to rounded bolts/lug nuts to provide extreme grip for easy removal

SP31260

15PC 1/2"DR DEEP IMPACT SOCKET SET METRIC

• 10 to 20, 21, 22 & 24mm

SP20320



1/2"DR STUBBY IMPACT SOCKET RAIL SET

3/8"DR STUBBY IMPACT SOCKET RAIL SET

1/2"DR IMPACT TAMPER SPLINE SOCKET SET

6 PT SP20255

12pc METRIC • 10, 11, 12, 13, 14, 15, 16, 17. 19. 21. 22. 24mm

SP20355







8pc METRIC

• 10, 11, 12, 13, 14, 15, 16,

4x 44mm (L): M12, M14, M16, M18 4x 77mm (L): M12, M14, M16, M18

SP20385





1/2"DR DEEP INHEX IMPACT **SOCKET SETS**

9PC METRIC • 4, 5, 6, 7, 8, 10, 12, 14 & 17mm

SP20370

9PC SAE • 3/8 to 15/16 & 1





INHEX

SPANNERS

SP HAS A FULL RANGE OF SPANNER SETS TO SUIT ANY APPLICATION

- Small head profile designed for working in confined spaces
- Tough triple chrome, high polish finish
- Chrome Vanadium Steel (Cr-V)



CHECK OUT OUR YOUTUBE CHANNEL FOR HELPFUL VIDEOS www.youtube.com/sptools





SCAN THE QR CODE USING THE CAMERA ON YOUR SMART DEVICE



GEAR DRIVE ROE QUAD DRIVE SPANNER SETS

11pc METRIC • 8 to 19mm SP10131

8pc SAE SP10188

. 5/16 to 3/4"

11PC METRIC **GEAR DRIVE ROE QUAD DRIVE SPANNER SET**

• 8, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

SP10111





GEAR DRIVE ROE QUAD DRIVE SPANNER SETS

12pc METRIC • 8 to 19mm SP10212

• 5/16 to 1" SP10262



ROE QUAD DRIVE SPANNER SETS

9pc METRIC • 8 to 19mm SP10109

• 5/16 to 3/4" SP10158



ROE QUAD DRIVE SPANNER SETS

8pc METRIC • 20 to 32mm SP10118

• 13/16 to 1-1/4" SP10167



EAR LOCKING FLEX HEAD BOX DOUBLE

8pc METRIC • 8 to 19mm SP10628

6pc SAE • 5/16 to 3/4"



FLEX HEAD GEAR DRIVE ROE QUAD DRIVE

8pc METRIC • 20 to 32mm SP10318

7pc SAE • 13/16 to 1-1/4" **FLEX HEAD FLARE NUT** SPANNER SETS

METRIC & SAE SET AVAILABLE

4pc METRIC 10 to 22mm SP10144

4pc SAE
• 3/8 to 7/8' SP10194



FLAT DRIVE TECHNOLOGY

Perfectly flat spanner head surfaces allow for maximum contact between the spanner and the bolt 12 or nut, maximising grip and enhancing applied torque.





MAXIMUM CONTACT

Spanner heads make contact on the flat sides of the fastener head, not the points.



QUAD DRIVE OPEN END

SP Tools patented QUAD DRIVE open end offers 4 times the gripping power of a standard ROE spanner by wrapping around the fastener and maximising the contact on the flat sides of the fastener head, not the points.







QUAD DRIVE ROE COMBINATION SPANNER SETS

METRIC & SAE SET AVAILABLE

11pc METRIC • 8 to 19mm SP10027

• 5/16 to 3/4" SP10077

12pc SAE



OUAD DRIVE ROE CO BINATION SPANNER SET

9pc METRIC • 6 to 21, 22 & 24mm SP10017





COMBINATION ROE RING END SPANNER SET

16pc METRIC • 6 to 24mm T810016



COMBINATION ROE RING END SPANNER SET

METRIC & SAE SET AVAILABLE *SPTOOLS.COM FOR SIZES INCLUDED

10pc METRIC • 24 to 50mm* T810020

• 15/16 to 2"* T810070



- Fits nuts and bolts up to 46mm (1-13/16")
 Hammer head Ideal for loosening fasteners
- Continuous taper end for ease of bolt/rivet hole alignment

DOUBLE RING LONG SPANNER SET 40° OFFSET

METRIC & SAE SET AVAILABLE

6pc METRIC SP10136

5pc SAE • 5/16 to 15/16" SP10185



16PC 3/8"DR RX SOCKET

• E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18, E20

• E6xE8, E10xE12, E14xE16, E18xE20

SP20210





SP QUAD DRIVE

FLAT DRIVE RING END

SP Tools RING END spanners feature dual flat drive ring ends, making them the perfect spanner for getting to and loosening those tricky, hard to reach, often worn fasteners by increasing the contact area with the nut or bolt head.



GEAR DRIVE RING END

SP Tools patented **GEAR DRIVE** spanners are precisely machined with deeper gears for greater torque loading and reliability with 72 teeth that only require 5° of space per turn.



SCREWDRIVERS



22PC SCREWDRIVER SET IN X-CASE

STANDARD, GO-THRU & PRECISION

- 6 x Slotted • 2 x Go-Thru Slotted
- 3 x Precision Slotted
- 2 x Go-Thru Phillips 3 x Precision Phillips

• 6 x Phillips

T834025

12 PIECE SCREWDRIVER SET IN EVA FOAM

- SVCM steel shafts for strength and durability
- Magnetic tips
- Includes stubby sizes

CONTENTS

• 6 x Slotted • 6 x Phillips





13PC 888 SERIES SCREWDRIVER SET ()

IN CASE • 8 x Slotted • 5 x Phillips

T834000

8PC TORX SCREWDRIVER SET IN X-CASE

- T8, T10, T15, T20, T25, T27, T30 & T40
- Essential in the removal of Torx Tamper proof safety screws
- Chrome Vanadium Steel (SVCM) shafts



SP34050



BIT SETS

COMPACT 1/4" HEX RATCHET DRIVER

- Low profile design Reversible ratcheting mechanism
- Chrome vanadium steel



SP39600

30PC BIT SET

- Metric: 10pc 1.5 to 7mm
- SAE: 10pc 1/16 to 1/4"

SP39609

37PC BIT SET PROFESSIONAL

- INCLUDES Hex, Spline, Torx &
- Ribe Bits
 Extension Bit Holder
- 3/8" Dr Bit Adaptor • 1/2" Dr Bit Adaptor

SP39610



9PC 2-IN-1 ROTATABLE RATCHET DRIVER WITH 1/4" BIT SET

- SET INCLUDES
- Ratchet Driver Socket/Bit Adapt
- 7pc Bit Set



BALL DRIVE ON

HEX KEYS

9PC KEY SETS - LONG SERIES

METRIC T834511 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10mm

SAE T834512 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8"

T834517 • T10, T15, T20, T25, T27, T30, T40, T45 & T50

TAMPER TORX T834518



9PC KEY SETS - STUBBY SERIES

AVAILABLE IN METRIC, SAE & TORX

COLOUR CODED

METRIC SP34531

• 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10mm

SAE SP34532 • 1/16, 5/64, 3/32, 1/8

5/32, 3/16, 1/4, 5/16 & 3/8" **TORX** SP34537

• T10, T15, T20, T25, T27 T30, T40, T45 & T50









HAMMERS

BALL PEIN HAMMERS FIBREGLASS HANDLE

- · Hardened and tempered carbon steel striking heads
- Durable nanofiher handle for strength and shock reduction
- Non-slip rubber grip

6	MODEL	SIZE	PRICE
	SP30163	340g/12oz/.75lbs	\$17
	SP30167	454g/16oz/1lbs	\$1 8
	SP30175	680g/24oz/1.5lbs	\$21
	SP30183	907g/32oz/2lbs	\$ 23

BALL PEIN HAMMERS FIBREGLASS HANDLE

- Multi-purpose & heavy duty
- Dual striking faces
 Hardened high quality steel head
 Superior performance
- and com

nfort			
	MODEL	SIZE	PRICE
	SP30335	1276g/45oz /2.8lbs	\$1 9
	SP30352	1503g/53oz/3.3lbs	\$ 23
	SP30370	1985g/70oz/4.3lbs	\$ 30

SLEDGE HAMMERS FIBREGLASS HANDLE

- Multi-purpose & heavy duty
- Heat treated head with overstrike protector • Durable nanofiber handle for unrivalled
- strength and shock reduction
- Non-slip rubber grip



CHISELS

7PC PIN PUNCH SET

- INCLUDES
- 2, 3, 4, 5, 6, 8 & 10mm
- Designed to drive out pins and rivets

SP30831

5PC COLD CHISEL SET

- SET INCLUDES • 12, 16, 20, 24 & 29mm
- Suitable for cutting and scoring steel

SP30821

7PC TAPER PUNCH SET

- SET INCLUDES
- 1, 2, 3, 4, 5, 6, & 8mm
- For driving out rivets/pins, free frozen nuts and remove bearings

SP30921







CUTTING

FOLDING UTILITY KNIFE LOCK-BACK

Wire cutting notch SP30852

HACKSAW - 12"



 Quick blade change

• 90°/45° blade

settings

5 PIECE TUNGSTEN CARBIDE BURR SETS

- · Heavy duty, superior
- cutting power Ideal for deburring, carving, grooving, shaping & finishing

INCLUDES

SP31385

- 10 x 20mm Cylinder
- 10 x 20mm Cylinder Radius Top 8mm Dia. Ball
- 10 x 25mm Tree Radius Top 12 x 20mm Oval

MODEL APPLICATION Steel SP31380

RIVETER

Aluminium





Metric: 2.4, 3.2, 4.0 & 4.8mm
SAE: 3/32", 1/8", 5/32" & 3/16"

PLIERS





3PC PLIER & CUTTER SET HIGH LEVERAGE

200мм (8")

- Forged chrome Vanadium (Cr-V) Steel blades
- **Combination Pliers** Long Nose Pliers
- Diagonal Cutters

SP32903





SIZES:

• 250mm • 300mm T832910

LOCKING PLIERS Non-slip jaws Easy quick-release lever with non-slip rubber coating

CURVED JAW

AVAILABLE IN 2 SIZES

MODEL SIZE SP32601 125mm \$20 SP32603 250mm *\$26*

STRAIGHT JAW

AVAILABLE IN 2 SIZES

SP32612 125mm *\$25* SP32613 175mm \$26

LONG NOSE

AVAILABLE IN 2 SIZES

SP32621 150mm *\$25* SP32623 225mm *\$29*



ARE YOU AN APPRENTICE?
SIMPLY PURCHASE AN 'APPRENTICE CASH' MARKED PRODUCT AND RECEIVE AN ONLINE VOUCHER TO SPEND AT WWW.SPTOOLS.COM Visit sptools.com for full terms & conditions.

> ELECTRICAL & DIAGNOSTIC

700A LI+ POWER BANK JUMP STARTER

THE PORTABLE POWER SUPPLY FOR ANY JOB.
JUMP STARTS ANY CAR, TRUCK OR MOTORCYCLE.
POWER OR CHARGE 12V ACCESSORIES AND ANY USB 5V ELECTRONICS.

- 12v 250 700AMP Jump start (Petrol engines up to 5L V8 & Diesel up to 3L) (approx. double normal laptop battery life)
 12v Port for powering or charging 12v accessories
 5v USB Port for charging mobile phones, tablets & cameras (approx. 4 full mobile phone charges per charge)



BATTERY TERMINAL SPREADER & REAMER PLIERS

- Heavy duty quality spreader
- Suitable for cleaning and spreading battery cable terminals
- Insulated ergonomically designed handles

SP61003

TOOLS / WIRE STRIPPERS

INSULATED CRIMPING TOOL AND WIRE STRIPPERS

- 225mm (8.8") Automatic wire stripper with crimper features
- 4.0mm Insulated & Open Barrel Terminal Crimper

 Wire cutter: 1.25, 2.0 & 5.5mm
- ISO: M2.6, M3, M3.5, M4, M5,
- Wire stripper: 0.75, 0.9, 1.25, 2.0, 3.5, 5.5mm



OUICK CHANGE RATCHET CRIMPER KIT - 4 PIECE

- Kit comes with dies to suit insulated terminals, non-insulated terminals & spark plug connectors.
- Dies guickly slide in and slide out
- Quick release action
- Ideal for any crimping Job



BATTERY ANALYSER

 Suitable to test all 12V automotive starting batteries, including ordinary lead acid battery, AGM flat plate battery, AGM spiral battery, and



PREMIUM BATTERY ANALYSER WITH BUILT-IN PRINTER

- Auto-saving function ensures the latest test results are automatically saved for
- reviewing Tests batteries & charging/ starting systems Easily adjustable date/



SMART BATTERY CHARGER



SP61086

8 STAGE - 26 AMP **MULTI VOLT - 6, 12 & 24V** LEAD ACID, GEL, AGM & LITHIUM

MEMORY POWER SUPPLY

• Retains setting of computers, radios, clocks, etc.



MECHANICS STETHOSCOPE

An essential diagnostic tool for fault finding in vehicle engines and engine bays, under-body, transmissions, differentials & bearings SP62001

INLINE IGNITION SPARK TESTER

 Checks whether there is high tension spark potential at the

SP61065

spark plug

• Ideal for modern vehicles with sensitive electronics

 Easy to use Remove rubber boot from spark plug, insert inline tester & place tester boot on plug.

SP61030

RADIO REMOVAL TOOLS

 Makes radio removal fast and damage SP61040







CIRCUIT **TESTERS**

CIRCUIT TESTER CORDLESS

3 TO 30V

- No earth Lead Touch ground to complete circuit
- Dual colour LED indicates: Red for power, green for ground on 6V, 12V and 24V systems



NO EARTH LEAD

SP61018

DIGITAL DISPLAY CIRCUIT TESTER

3 TO 32V

- Digital LCD display provides a fast and accurate reading
- Dual colour LED indicator
- Sharp, short, insulated probe



GENERAL & HYBRID CIRCUIT TESTER

12 TO 42V

- Automatic voltage identification
 with blue for 12V and red for 42V systems
- Safe for low current circuits since tester only draws 3 milliamps at 12V



COMPUTER-SAFE CIRCUIT TESTER

3 TO 15V

 Safely tests standard primary automotive circuits and onboard computer controlled electrical systems without damaging the micro-processor



SP61020

888 SERIES CIRCUIT TESTER

3 TO 24V



CAN OBDII/EOBD/JOBD SCANNER CODE READER

READS & CLEARS GENERIC & MANUFACTURER SPECIFIC DIAGNOSTIC TROUBLE CODES (DTC'S) & TURNS OFF CHECK ENGINE LIGHT.

- Covers all OBDII compliant vehicles: Made in USA from 1996 on; Made in Europe petrol 2001 on & diesel 2004 on; Made in Australia or New Zealand from 2006 on. (Including the CAN, J1850 PWM, J1850 VPW, ISO9141 and KWP2000 protocols)
 Compliant with OBDII 16 PIN Toyota, Honda, Daihatsu, Mitsubishi, Mazda, Nissan, Suzuki & Subarda Wider, vehicle coverage with CAN protocol support
- Wider vehicle coverage with CAN protocol support
 Supports multiple trouble code requests: Generic codes,
- pending codes and manufacturer specific codes
 Code definitions are displayed on unit screen
 Reviews the emission readiness status of
- **OBDII Monitors**

WATCH THE DEMO VIDEO

SCAN ME

SP61155

MAKE SURE YOUR VEHICLE IS CAN OBDII/EOBD/JOBD COMPLIANT BEFORE PURCHASING **ULTIMETERS**

DIGITAL MULTIMETER WITH TEMP GAUGE

- 2000 counts digital display Safety Design Cat 3 600v
- Non-contact ACV detection
- Type K temperature input · Continuity, diode test, resistance

CHECK OUT THE









OBDII/EOBD/JOBD

DIGITAL MULTIMETER

DEAL

- Continuity
- Back Light
 Data Hold
- AC/DC Voltage
- DC Current
- Resistance Diode Test
- Transistor Test

CAT II 600V



TIMING LIGHT

SP61155

TACHOMETER DIGITAL

- Laser target
 LCD display with
- backlight
 P Range: 100-30000rpm,
 1.7-500rps
 Protective cover &
- carrying case

 Auto power off
- Accuracy: +/-0.1%

SP62032



TIMING LIGHT Quickly tune-up cars, trucks,

marine and recreational vehicles

ADJUSTABLE ADVANCE

- Works on conventional and computer controlled ignition systems
 • Works on adjustable,
- non adjustable timing systems
- Testing range 0-10,000rpm Advance degrees 0º
- to 60º



MINI INFRARED **THERMOMETER**

- LCD Display with Backlight
 Single Dot Laser Targeting
 Low battery Indication
- Auto Power Off
 -20°C/ 270°C Range
- (-4 °F 518°F)

SP62022

TIMING LIGHT PROFESSIONAL

- Four functions, digital readout & easy to read backlit LCD
- Tachometer: 249 to 9,990RPM (+/- 1% Accuracy)
- Advance degrees (2 & 4 cycle DIS and Conventional):

 0° to 90° (+/-.5° Accuracy)

 Dwell: 0° to 180° / 2-12
- cylinders (+/-1% Accuracy) Voltage: 10 to 16 volts DC
- (+/- 1% Accuracy)

SP62042

SP62040



ENGINE SERVICE

IOLITRE DEAL

EVACUATION

- Designed to vacuum fluids from inaccessible or confined areas

Container constructed from chemical resistant materials

1 SP64028

EXTRACTION SYRINGES

- Multi-purpose ideal for the transfer of oils/ fluids to and from vehicle components such as gearboxes and differentials.
- Translucent body allows easy inspection of oils

FROM

SIZE

SP65122 200ml \$39 \$79 SP65123 1500ml

OIL FILTER WRENCH TRUCK STRAP TYPE

- Suits oil filters up to Ø300mm (12")
- Satin finish cast steel body with 3/8" & 1/2"
- sq drives
 Extra wide nylon webbing stran



COMPRESSION TESTER PETROL

- 2.5" gauge with dual scale,
 0-300psi, 0-21kg/cm2, 0-300psi
 Pressure relief valve allows
- repeated on-vehicle test
- Includes multiple adaptor





CYLINDER LEAK DETECTOR & CRANK STOPPER

- Crank stopper locks engine in place to facilitate installation of timing belts & removal of
- harmonic balance pulleys Gauges show % of cylinder leakage & cylinder pressure

NORMALLY SP66027



TOOL

DELUXE PETROL COMPRESSION TESTER

- Checks cylinder compression from 0-300psi
- (0 to 21kg/cm2)

 Assembles to form either push in or screw

in type testers • Screw in adaptors include: M10 x 1.0, M12 x 1.25. M14 x 1.25 & M18 x 1.5



DELUXE ENGINE OIL PRESSURE TESTER

CHECKS BOTH CARS & TRUCKS

- Dual gauge readings: 0 to 300psi (0 to 21 Bar)
 Oil proof hose: 24" (600mm)
 Includes 1/4"NPT, 3/8"NPT, NORMALI

1/2BSP, M10x1.0, M12x1.5, M14x1.5, elbow adaptors & 50mm nipple & coupling



SP66070



VALVE SPRING COMPRESSOR

• Suitable for use on multi valve petrol & diesel engines with deep-seated valves



FEELER GAUGE SET 12PC

- 0.008" 0.026" Marked with equivalent metric sizes
- Offset blades 100mm long x
- 13mm wide 25mm offset tips

SP64036

PISTON RING COMPRESSOR

SP66030

Compresses piston rings

for easy installation Self locking ratchet
 Supplied with

 Double band adjustable



50 ТО 125мм SP66020

VALVE LAPPERS

Hand grind small & large flat head unslotted valves

Comfort grip contoured hardwood handles

SET INCLUDES:

- Small cup dia. 5/8" & 13/16"
- Large cup dia. 1-1/8" & 1-3/8"



TRANSMISSION STOP-OFF TOOL

- Plugs the transmission shaft opening when removing the drive shaft, repairing the U-Joints or performing general transmission service.
- Tapered Design



TWIN HOOK SEAL PULLER

 Suitable for safe removal of oil and grease seals found in automotive drives and transmissions without damage to seal or surrounding



Two hook sizes applications

SP66000

• 325mm length

AC & FUEL LINE DISCONNECT SET

Easy clip over design

 Simple push under fitting until hose releases



1/2"DR IMPACT BAR

- Creates impact to shock
- frozen nuts loose 8x Torque multiplication with a single hammer blow
- No compressed air required
















VACUUM BRAKE

- systems

 Compact size allows easy operation within
 wheel arch area

 Universal rubber fitting holds securely on brake
 bleed screw
- Quick connect coupler for hose interchange as
- Convenient hanging hook and quick release trigger allows hands-free operation

BRAKE FLUID RESERVOIR RE-FILLER - 600ML

- Automatically refills brake fluid reservoid during brake bleeding
- Orning brake piecoling

 Retaining clip provides positive clamping to all master cylinder reservoir types

 Height adjustment maintains correct fluid level; prevents running brake fluid reservoir dry

 On-off tap

BRAKE PIPE BENDING

- Provides two size bend options for accurate and safe shaping of automotive brake pipes, up to 5mm in diameter.
 Compact ergonomic design, suitable for one-handed operation in tight confined spaces.



DOUBLE FLARING TOOL KITS

- Aluminium alloy casting tube cutter
- from 3-30mm 7pc adaptor Steel casing, yoke & screen ba

METRIC SP63015

SUITS PIPE SIZES • 5, 6, 8, 10. 12. 14 & 16mm

SAE SP63016

SUITS PIPE SIZES • 3/16, 1/4, 5/16, 3/8, 7/16, 1/2 & 5/8"

EACH



VACUUM TEST & BRAKE BLEEDING KIT



- The complete kit for all vacuum testing and brake bleeding requirements

 Hand held vacuum pump – compact design
- · Allows fast efficient static testing and monitoring
- Safely transfers fluids
 Regulated vacuum relief valve



SP79995



DISK BRAKE SPREADER

For easy compression of brake piston

Suits front disc brakes on most cars and light trucks.

SP63002

BRAKE FLUID TESTER

This compact LED brake fluid tester is a quick & effective wayof testing if a vehicles brake fluid needs replacing by showing how much moisture has been absorbed into the brake fluid.

NORMALLY

\$129

SP63028

TUBE CUTTER - 3 TO 22MM

• Tube diameter cutting range: 3mm - 22mm (1/8" to 7/8"

 Ideal for cutting hard and soft copper, aluminium, brass and plastic tubing

SP63041

BRAKE CYLINDER HONE 3 ARM

Versatile hone for 19 to 64mm diameter

SP63036

- 28mm fitted stones Medium 220 grit Knurled nut
- controls tension Flexible shaft
- Adjustable tension,
- controlled spring action and spread control limiter



HI-VIS

Handy pack of 3 clamps containing small, medium and large clamps to cover hose sizes from 3mm to 57mm Smooth Rounded Edges on Jaws will

not Damage Internal Hose Linings Lightweight, Non Conductive, Highly Visible Material

MODEL	SIZE	PRICE
SP70036	Small	\$10
SP70534	Medium	\$11
SP70685	Large	\$1 3

SMALL: Seals 3 to 8mm MEDIUM: Seals 13 to 19mm LARGE: Seals 19 to 57mm

UNIVERSAL CLUTCH ASSEMBLY TOOL

• Design allows easy assembly of clutch whilst on a work bench and then transfer the complete unit for installation to the vehicle

• Supplied with various collets for a range of shaft dia.



3 ARM

 Versatile hone for 32mm -90mm diameter cylinders

ENGINE CYLINDER HONE



- 50mm fitted stones - Medium 220 grit Knurled nut
- controls tension
- Flexible shaft
- Adjustable tension. controlled spring action and spread

OWN QUALITY TOOLS AND EQUIPMENT **TODAY AND PAY THEM OFF WEEKLY!**



SP EASY CREDIT CAN HELP YOU FINANCE YOUR SP TOOLS PURCHASE OVER THE COMBINED VALUE OF \$1000 AND REPAYMENTS START FROM AS LITTLE AS \$8 PER WEEK*. APPLY NOW AT SPTOOLS.COM

> COOLING SERVICE



COOLING SYSTEM PRESSURE TESTER

- Eliminates the need for adapters to pressure test the cooling system
- Universal attachment to radiator or header tanks Fits bayonet and threaded filler necks



SYSTEM **PRESSURE** TEST KIT

SP70750

- Finds internal & external cooling system leaks
- It includes a selection of radiator cap adaptors, header tank adaptors and radiator cap tester adaptors to test all aspects of the cooling system
- Heavy duty pump with test range 0 - 2.5bar.



DELUXE COOLING SYSTEM PRESSURE TESTER

- The patented inflatable bladder attaches to radiator or header tanks for system testing Eliminates the need for adapters to pressure
- test the cooling system
- Identifies cooling system pressure leaks
 Includes 6 double end radiator cap testers

COOLING SYSTEM FLUSHING GUN

 Multi-purpose cleaning gun uses a combination of high pressure compressed air and water to quickly clean dirt, scale etc. from the cooling system

HOSE CUTTERS - 42MM PLASTIC & RUBBER

SP63043

Compound action

HOSE CUTTERS - 75MM PLASTIC & RUBBER

SP63046

- 75mm pipe cutter
- Compound ratchet action
- Cut PVC pipe, vacuum hoses, heater hoses etc.

FLEXI HOSE CLAMP PLIER



from 18mm (approx)

SP72604

FLEX HEAD

CLIP PLIERS

IDEAL FOR REPLACING LOWER RADIATOR HOSES AND FITS MOST SIZE CLAMPS

HOSE CLIP

Spring loaded pliers, ideal for fitting and removing Clic & Clic-R hose clips

Changes from fit to remove by turnng

FLAT BAND

• Special "-" slot and o" slot jaws

Finger tip position lock to keep hose clamps spread open

TOROUF TARGET ALARM

Audible click for when

torque target is reached

\$169 \$199

5-25Nm

20-100Nm

517mm 60-340Nm \$229

40-200Nm **\$209**

SWIVEL JAW

 Special "v" slot and cross slot jaws

Finger tip position lock to keep hose clamps spread open

MEASURING

DIGITAL FLEX HEAD TORQUE WRENCHES

ONE-STEP TORQUE-ANGLE

- Flex Head Ratchet The ultimate in confined space convenience
- Range: Nm, in-lb, ft-lb, kg-cm, " ° "
 Calibrated for both Clockwise and
- Anti-Clockwise use

 Warning LED's and audible alarm sounds within 10% of target value

 • Automatic torque value
- compensation for flex head angle deviation
- Selectable Torque
 Functions: Peak mode &
- Angle function: 0° accuracy)



	_			
MODEL	DRIVE	LENGTH	RANGE	PRICE
SP35256	3/8"	470mm	6.8-135Nm	\$699
SP35357	1/2"	680mm	10-200Nm	\$ 699
SP35358	1/2"	680mm	17-340Nm	\$799

MICROMETER TOROUE WRENCHES

- Click type signal alerts user
- when the required torque is reached
 Reversible ratchet (clock wise torque
- only)
 Scale Adjuster accurate & easy adjustment
- Adjuster lock will hold
- required setting during use Easy readable scale convex lens enlarges well defined, bold scale numbering. (Nm scale only)

SP35152

SP35352

SP35353

1/4"

3/8"

1/2"

1/2"

323mm

400mm

517mm

 Ouick release mechanism



DIAL INDICATOR

- 0-10mm dial
- indicator
- Graduation:
- High sensitivity





MAGNETIC STAND ADJUSTABLE

SUITS DIAL INDICATORS

- Attaches horizontally or
- vertically to flat surfaces V groove base mounting on
- cylindrical surfaces • Fine adjust arm and solid
- Flexible, precise rotary joints adjust any direction



60kg magnetic pulling force

SP35697



> STEERING & SUSPENS



- Designed to allow operator to install bearing cases & seals without damage

 Ideal for installing wheel bearing



UNIVERSAL BEARING PACKER

· For use with grease guns, the design incorporates grease nipple at one end which easily adapts to the grease gun coupler

SP30818

UNIVERSAL KNUCKLE SPREA

Used to spread the steering knuckle to enable the removal and refitting of shock absorbers without the risk of damage to the knuckle

Vehicles include: Audi, BMW, Citroën, VW, Ford, Skoda, Seat, Renault, Peugeot



BALL JOINT SEPARATOR

• For use on most cars and light trucks to remove tie rods from shock absorber links ball joint



MODEL SP67020 19mm SP67021 24mm

TIE ROD END PULLER & PITMAN

EACH

CV BAND PLIERS

- Easy removal of stainless steel CV joint clips and hose clamps without
- boot or hose Max cap: 0.7mm thick x 10mm wide

SP67160

2PC STRUT NUT BIT SOCKET SET

• 3/8"Dr x 45mm Long 5x7mm & 5.5mm x 8.2mm Pry Bit (Double "D") Sockets are used on semi-strut clamp castings fitted to Audi, VW, BMW, Citroën, Ford, Seat, Skoda, Peugeot, Renault and Jananese vehicles

SP67250

COIL SPRING COMPRESSOR SET

- Wrap over coil claws
- for extra safety Uses twin prongs and works at a pressure up to
- 1100kgs Maximum jaw opening: 230mm



SP67025

ARM PULLER

1-3/4" pull

44mm pull

SP67031



PULLERS

BEARING SEPARATORS

- Designed to remove bearings & gears where access is available behind the item
- Drop forged hardened alloy steel

AVAILABLE IN 3 SIZES

MODEL	SIZE	PRICE
SP67062	30-50mm	\$49
SP67063	50-75mm	\$ 69
SP67064	75-105mm	\$89



GEAR PULLERS - 2 JAW

- Easily remove gears, pulleys, bearings, sprockets and flywheels from shaft without damage
 Inside & outside reversible
- hooked jaws
- Twin hole reversible arms

AVAILABLE IN 3 SIZES

SP67004 100mm \$48 SP67006 150mm \$65 SP67008 200mm \$99

\$35

SP67003 75mm



FROM

MASTER **PULLER SET**

- Ideal for pulling harmonic balancers, steering wheels, vibration dampers,
- crankshaft pullers and gears Capable of handling almost every 2 or 3 way bolt pull possible on almost every car, pickup, SUV and small engine
- Set Includes: Two/three way yoke, 4pc tips, Metric & SAE bolt sets & 2pc centre screw for puller

SP67038



MODEL	SIZE	PRICE
SP67062	30-50mm	\$49
SP67063	50-75mm	\$ 69
CDCZOCA	7E 10Emm	500

> THREAD REPAIR

STUD REMOVAL/INSTALLATION TOOL SCREW EXTRACTOR SET - 5PC

- Suitable for various sizes of studs
- Cam rotates to grip onto the stud for quick and easy use

CAPACITY: 10-19mm (3/8"- 3/4")

SP31251



- Remove broken studs,
- screws, bolts etc 1/8", 3/16", 15/64",
- 5/16" & 3/8 Tapered spline

SP31302



INTERNAL & EXTERNAL THREAD FILES INDIVIDUAL

Restores any diameter damaged left or right-hand external threads

• Includes easy slip-on PVC grip

SP31305 0.75, 1, 1.25, 1.50, 1.75, 2, 2.50, 3 \$70 SP31306 11, 12, 13, 14, 16, 18, 20 & 24 TPI \$70 SP31307 9, 10, 12, 16, 20, 27, 28 & 32 TPI \$70

SCREW EXTRACTOR SET **DRILL BIT & GUIDE 25 PIECE**

SP31320





• For extracting broken screws, studs & bolts: 5mm to 16mm



> PANEL & TRIM THE PERFECT PANEL BEATING AND TRIM REMOVAL SET FOR ANY WORKSHOP, FEATURING THE MOST COMMONLY USED DOLLIES, HAMMERS, TRIM REMOVERS AND UTILTY KNIFE - YOU'LL BE WELL EQUIPPED TO HANDLE THE VAST MAJORITY OF PANEL AND TRIM REPAIRS. **PANEL STARTER KIT** TOOLS INCLUDED 7PC PANEL BEATING SET Includes pick & finish hammer, bumping hammer, pein & finishing hammer, double end hand dolly, curved dolly, utility dolly & heel dolly DEAD BLOW HAMMER 907g / 32oz / 2lbs Rebound dampening shot filled head - No recoil 4PC TRIM REMOVAL SET Removes hole plugs, window, door, sunroof & rubber joints, mirrors, windshield wipers + more **2PC DOOR UPHOLSTERY CLIP REMOVER SET** • Small Clips: 5 to 7mm • Large Clips: 6 to 9mm SP30205 RETRACTABLE UTILITY KNIFE NEW NEW Multi stop blade positioning **DOOR UPHOLSTERY 6PC MULTI-PURPOSE** TRIM CLIP PLIERS 80° OFFSET **CLIP REMOVERS** PRECISION TRIM & SEAL KIT REMOVES PLASTIC PUSH PIN RIVETS Dual tipped flexible and highly durable picks and pry bars Ideal for prying apart key fobs, dashboard parts and air vent assemblies, removing o-rings, small seals, gaskets and clips as well SMALL 5-7mm Removes most trim fasteners as uniformally smoothing epoxy, adhesives and silicone Non-marring premium Nylon SP30879 SP30878 SP30812 > LUBRICATION **QUICK-RELEASE** 18" GREASE GUN **VARIABLE STROKE** LONG GREASE **FLEX HOSE GREASE GUN** COUPLER MINI GREASE GUN SET RIGHT ANGLE Working pressure: COUPLER 1000ps Capacity bulk: 80ml 3 inter-changeable tips 20" flexible hose 100g tube of grease Cast aluminium body 4 jaw super grip couplerBleeder valve for purging air included SP65132 SP65137 SP65134 REPLACEMENT GREASE TUBE AVAILABLE • 2-way loading: Bulk or 450cc grease cartridge **6PC COUPLER &** OLLICK RELEASE **ACCESSORY KIT** IN-I INF COUPLER SWIVEL JOINT Quick release grease couplers - 74 & 130mm, needle nose & seal-off grease dispensers, injector needle & right angle SP65104 SP65140

> FLUID TRANSFER

MULTIPURPOSE PUMP 1 LITRE



difficult to access oiling points on motor vehicles, lawn mowers, chain saws, outboard and two stroke motors, and other odd jobs around the workshop and

SP65155



of light to medium viscosity, such as engine oil, gear oil, transmission fluid.

SP65156

GEAR OIL PUMP 20 LITRE

Ideal for transferring non-corrosive fluids of light to medium viscosity, such as engine oil, gear oil, transmission fluid, machine oil. etc.

Flow: 60ml / stroke

SP65157

SPRING GEAR OIL PUMP 60 LITRE

HOT DEAL

NORMALLY

• Flow: 500 ml per stroke Suction tube length: 535mm

 Ideal for transferring non-corrosive fluids of medium to heavy viscosity, such as engine oil, gear oil, transmission fluid, automotive additives, machine oil and lubricant Spring operated pump and unique swivelling pump head

assembly allows the hose to follow the operator

Gun holder to ensure the extra oil flows back into the pail to prevent spills and accidents

non-corrosive fluids machine oil, etc.

Flow: 60ml / stroke



> AUTO SPECIALITY

PICK-UP TOOLS & INSPECTION MIRRORS

MAGNETIC PICK-UP TOOL - TELESCOPIC

- Magnetic telescope
- will hold 1kg
 Extends 130 to 620mm
- Pen type



MAGNETIC PICK-UP TOOL - TELESCOPIC

WITH CLEANING NEEDLE

- Magnetic telescope
- will hold 1kg
 Needle will hold 500g
 Extends 130 to
- Pen type



CLEANING NEEDLE

EXTENDABLE

SP31507

MAGNETIC PICK-UP TOOL - TELESCOPIC

- Strong & lightweight stainless steel shaft
- PVC comfortable cushion handle
- Pocket clip





\$19 SP31502 1kg 185 - 840mm SP31503 2.3kg 180 - 800mm \$20

SP31513 6.8kg 190 - 760mm

4PC INSPECTION MIRROR & PICK-UP TOOL SET

SWIVEL HEAD TELESCOPIC MIRROR • Extends 250-925, Ø 57mm TELESCOPIC PICK UP TOOL:

Extends 160-645mm

SP31490



3X INTERCHANGEABLE MAGNETIC HEADS

- 1.5kg swivel head pick up tool
- 1.5kg pick up tool

• 0.5kg pick up tool

FLEXIBLE MAGNETIC PICK-UP TOOL

- 0.7kg magnetic pick-up tool
 • Flexible shaft
- bends and holds anv position
 - Overall Length: 480mm

FLEXIBLE SHAFT

SP31500

PICK-UP TOOL SWIVEL HEAD TELESCOPIC - MAGNETIC

- 0.7kg magnetic pick-
- up tool Extension handle
- 197 to 413mm Soft handle
- Swivel head

SWIVEL

EXTENDABLE

SP31504

INSPECTION MIRRORS TELESCOPIC ROUND

- Strong & lightweight stainless steel shafts
- PVC cushion handle



\$25

EXTENDABLE

AVAILABLE IN 3 SIZES

,	MODEL	SIZE	PRICE
	SP31401	32mm	\$1 8
	SP31402	57mm	\$20
	SP31403	82mm	\$25

4 JAW PICK-UP TOOL WITH MAGNETIC HEAD

- Flexible Shaft 610mm
- Easy retrieval of small parts
 Magnetic head

FLEXIBLE SHAFT

SP31506

PRY BARS

2PC INDEXING JAW PRY BAR SET

- Industrial Strength Chrome Vanadium
- Steel (Cr-V) steel

 Adjustable head with up to 15 locking positions (406mm 11

2PC O-RING & SCRIBE SET

Both tools facilitate easy

removal & installation of

O-rings & seals, scribing,

carving & part placement • Combination pick and

90° pick and straight

hook pick

pick

locking positions) Indexable to over 180° allowing more leverage in confined spaces.

180° RANGE

SET INCLUDES:

• 406mm (16") • 559mm (22")

SP30870

4PC GO-THROUGH PRY BAR SET

- Go-Thru blade with striking cap allows hitting the bar with a hammer without damage to the handle
 Ideal for prying cylinder heads, manifolds, gearbox components etc.

SET INCLUDES:

- 200mm (8") 300mm (12")

PLUS BONUS



Scratch free, powerful magnetic back plate allows holders to stick to steel tool boxes, roller cabinets, etc

HOOKS &

- 1x Rubber hook
- 1x Glass run cleane • 1x Angular hook
- 1x Long hook

SP30808 SP30842



SP30839

UNIVERSAL LIFT SUPPORT CLAMP

Securely supports and locks onto gas strut shafts on bonnets, tail-gates, hatchbacks & car boots to enable worn gas struts to be fixed in the extended position

SP64220

SCRAPERS



GASKET SCRAPER LONG

Uses 40mm replaceable

- razor blades Hollow handle
- stores spare blades when not in use Spare blades included

4PC POLY SCRAPER SET

- Includes 20, 22, 25 &
- 38mm scrapers Tough composite construction
- Remove decals mouldings, emblems, gaskets & wheel weights from cars without damaging the vehicle

SP30813



STAINLESS STEEL **SCRAPER SET** 3 PIECE

- Precision ground
- blades Heavy duty timber
- handles 10. 15 & 23mm blades





SP30816



SP30806







PRESSURE WASHERS INCLUDE:

- Full metal lance with quick connect
 5 quick connect nozzles 0°, 15°, 25°,
- 40° & detergent nozzles
- Turbo nozzle
- Turbo nozzie
 10m steel braided hose with quick connect fittings
- Inlet water filter

4000PSI COMMERCIAL

- Max Pressure: 4000psi
- Flow Rate: 23.4 Litres p/min Power: 15Hp Torini Engine
- 6.5 Litre fuel tank
- Ceramic coated stainless steel pistons - Able to use sea water

3600PSI HEAVY DUTY

- Max Pressure: 3600psi
- Flow Rate: 11.3 Litres p/min Power: 6.5Hp Torini Engine
- 3 Litre fuel tank



PETROL PRESSURE **WASHER 2500PSI** DOMESTIC

- 2500 Max PSI
- 9.7L/min 5.5Hp Torini Engine
- Brass head 3 axial piston pump

INCLUDES:

- Full metal lance with auick connect
- 5 quick connect nozzles 0°, 15°, 25°, 40° & detergent nozzles
 8m textile braided
- hose
 Inlet water filter

§**599**



3 MODELS Available

SPGi4500E

4500 V 10 LITRE TANK

2500 WATTS **4 LITRE TANK**

1800 WATTS 4 LITRE TANK **PULL START 1X 15A OUTLETS**

CONSTRUCTION SERI

ON-SITE POWER SHORTAGE IS NOT A PROBLEM WHEN YOU HAVE AN SP









DIESEL POWERED

RELIABLE, ROBUST & EASY TO USE. NEVER BE WITHOUT POWER AGAIN

10HP

2X 15A OUTLETS



15HP

ELECTRIC START 2X 15A OUTLETS SPGC8100E

20HP

SPGC12000E

ELECTRIC START 3X 15A OUTLETS

INDUSTRIAL SERIES

DON'T BE LEFT IN THE DARK







6.5HP

SPG2800

2X 15A OUTLETS



SPG4000

PULL START 2X 15A OUTLETS



13HP

3X 15A OUTLETS



15HP

SPG8100E

ELECTRIC START 3X 15A OUTLETS WHEEL KIT INCLUDED 25



body

KIT INCLUDES

2" Gasket Sander, 12x Surface Prep Discs (Medium & Coarse Grit), 8x Sanding Discs (#80 & #120 Grit)



SP-2331H

NORMALLY \$20**9** SPHR15

ANTI-KINK

SP66-15N 15m SP66-30N 30m \$89

SCORP ON

HIGH PRESSURE SPRAY GUN

- Pot size: 1L
- Max pressure:
- 50PSI



AIR BRUSH KIT

SX60-2

HIGH PRESSURE SPRAY GUN DELUXE

Pot Size: 250ml Max Pressure: 50PSI

HOT DEAL

GRAVITY FED SPRAY GUN

AVAILABLE IN 2 NOZZLE SIZES

- Max pressure:

MODEL SX50-1 1.4mm SX50-3 2.0mm

EACH

PLUS BONUS AIR BRUSH KIT VALUED AT \$29

HOT

DEAL

HIGH PRESSURE SPRAY GUN 10L

Includes Pressure Gauge & Adjusting Valve















2.5HP PORTABLE AIR COMPRESSOR

TRADE QUALITY

- The ultimate builders companion
- Able to run all nail guns
- One man lift

SP12-50X



SP11-12X



6.5HP CAST IRON V-TWIN AIR COMPRESSOR



& will run several air 6.5hp Torini

OHV 4 Stroke Engine

SP17P

60 LITRE TORINI ENGINE 356L/MIN FAD









YOUR LOCAL STORE:

 Includes a high power side beam spot light Size: 290 x 32 x 25mm

All prices include GST. Not all products in this brochure are available from all outlets. Prices may vary in some country areas due to freight costs. All products in this brochure were available at the time of printing. Austech industries will do everything possible within reason, to maintain stocks of products advertised but cannot be responsible for unforeseen shortfalls beyond their control. E & OE Copyright. WWW.SPTOOLS.COM Please note: Images are for illustration purposes only, contents and colours may vary.